




Nouyrigat


Solid Oak Flooring Manufacturer



SOLID OAK FLOORING

Made in France







Nouyrigat

Solid Oak Flooring Manufacturer

PRODUCT CATALOGUE

Contents

I The Company



About Us
Expertise

p.7
p.9

II Flooring



Laying Patterns
Wood Selection
Dimensions
Machinings
Finishes

p.13
p.27
p.39
p.40
p.43

III Wall Cladding



p.44

IV

Exclusive Products



V

Accessories



p.54 Stair-noising
Floor-Joist
Baseboards

VI

Technical Data Sheet



p.64



I

The Company

About us



Nouyrigat is a French company specializing in solid oak flooring. Integrated into the Baret Group, it concentrates its expertise on delivering high-quality floors that combine technical accuracy with a strong emphasis on long-lasting durability. Located in Margut, in the Ardennes, Nouyrigat prioritizes the quality of materials, the uniformity of finishes, and complete mastery of its production process. The company provides a comprehensive range of flooring solutions for both residential and commercial projects, with a firm commitment to producing durable, precise, and visually refined products.





Expertise

Local Sourcing and Resource Management

At Nouyrigat, we manage the full production process, from raw timber from French and Belgian forests to the finished flooring. This local sourcing approach guarantees total traceability while also promoting optimal resource management. We work intimately with the material, limiting intermediaries and enhancing every step of the manufacturing process.



CARBON STORAGE



SUSTAINABLY MANAGED
FORESTS



RENEWABLE



ENERGY-EFFICIENT
PRODUCTION



ECO-FRIENDLY

Long-Lasting Performance and Environmental Responsibility

Sustainability is at the heart of our approach. Our flooring is designed in compliance with the strictest environmental standards. We responsibly source our wood, strive to minimize our ecological impact, and implement energy-efficient manufacturing processes to deliver a product that is both high-quality and durable.



II

Solid Oak Flooring

01

Laying Patterns

p.13

02

Wood Selection

p.27

03

Dimensions

p.39

04

Machinings

p.41

05

Finishes


p.43






01


Laying Patterns




English Pattern




French Pattern




Hungarian Pattern



Herringbone



Brick Pattern



Ladder Pattern

The way a floor is installed is essential to the overall look of an interior. Beyond the wood type and finish, the pattern of the layout reveals the full character of the flooring. Depending on the arrangement of the planks, the effect can be minimal and linear, graphic and dynamic, or highly sophisticated. Each installation method showcases solid oak in a unique way, allowing the floor's style to harmonize with the architecture and personality of the space. Both the direction of the planks and natural light play a decisive role in this choice.

Each floor is custom-installed to fit the space perfectly and to highlight the unique character of your interior.






English Pattern

The English Pattern is characterized by a regular alignment of planks of the same width but mixed lengths, creating a simple and linear layout. This style provides a clean and refined look, highlighting the natural texture and color of solid oak. Ideal for bringing elegance and continuity, it suits both contemporary and traditional interiors.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne		
Mashinings	G00 G02* G04*	Chamfers offered in 1.2 mm or 2.5 mm	
Standard dimensions	14 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 mm
	21 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 200 mm
Custom Dimensions	Please contact us for any specific requests.		





French Pattern

The French Pattern is characterized by parallel alignment of the planks, with a harmonious mix of lengths and widths. This classic style draws its essence from the variation of plank lengths, reflecting the material optimization from which it originated. It provides balance and simplicity, enhancing the natural beauty of the wood while fitting any type of space.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne		
Mashinings	G00 G02* G04*	Chamfers offered in 1.2 mm or 2.5 mm	
Standard dimensions	14 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 mm
	21 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 200 mm
Custom Dimensions	Please contact us for any specific requests.		






Hungarian Pattern

The Hungarian Point Pattern is one of the most iconic layouts for solid oak flooring. Recognizable by its regular chevron motif, each plank is cut at a precise angle (commonly 45° or 60°) and assembled symmetrically to form dynamic and harmonious lines. This traditional craftsmanship, found in the finest interiors for centuries, combines prestige and modernity. The Hungarian point enhances the natural beauty of oak, playing with light and perspective to create a sense of movement and depth. Ideal for characterful spaces, it embodies the connection between artisanal heritage and contemporary elegance.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Mashinings	GO0 GO2* GO4*	Chamfers offered in 1.2 mm or 2.5 mm
Standard dimensions	14 mm Thickness	14 x 80 x 500 mm 14 x 100 x 600 mm
	21 mm Thickness	21 x 80 x 500 mm 21 x 100 x 600 mm
	Angles	45° 50° 60°
Custom dimensions	Please contact us for any specific requests.	






Herringbone

The Herringbone Pattern plays with alignment and disruption, creating a rhythmic motif that adds depth and character to the floor. It combines tradition and modernity, transforming each space into a subtle interplay of lines and light. This style highlights the richness of solid oak while delivering a unique and lively appearance.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Mashinings	G00 G04*	Chamfers offered in 1.2 mm or 2.5 mm
Standard dimensions	14 mm Thickness	14 x 80 x 500 600 mm 14 x 100 x 600 700 mm
	21 mm Thickness	21 x 80 x 500 600 mm 21 x 100 x 600 700 mm
Custom dimensions	Please contact us for any specific requests.	





Brick Pattern

The Brick Pattern involves arranging identical planks to form a structured layout reminiscent of stone tiles. This style creates a refined, graphic effect while highlighting the natural richness of solid oak. It delivers an elegant and timeless aesthetic, perfect for adding character to any space.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Mashinings	GO0 GO2* GO4*	Chamfers offered in 1.2 mm or 2.5 mm
Standard Dimensions	14 mm Thickness	14 x 80 x 350 400 450 500 550 600 mm 14 x 100 x 350 400 450 500 550 600 mm
	21 mm Thickness	21 x 80 x 350 400 450 500 550 600 mm 21 x 100 x 350 400 450 500 550 600 mm
Custom dimensions	Please contact us for any specific requests.	







Ladder Pattern

The Ladder Pattern consists of planks arranged in parallel blocks connected by perpendicular planks, creating a structured and dynamic design. This graphic style adds depth and movement to the floor while highlighting the warmth and nobility of solid oak. It transforms the flooring into a strong and distinctive decorative element.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Mashinings	GO0 GO2* GO4*	Chamfers offered in 1.2 mm or 2.5 mm
Standard Dimensions	14 mm Thickness	14 x 80 x 350 400 450 500 550 600 mm 14 x 100 x 350 400 450 500 550 600 mm
	21 mm Thickness	21 x 80 x 350 400 450 500 550 600 mm 21 x 100 x 350 400 450 500 550 600 mm
Custom dimensions	Please contact us for any specific requests.	





02

Wood Selection

I/BIS

p.29



Château

RUA

p.31



Manoir

RUA/RUB

p.33



Orval

RUB

p.35



Rustique

RUC

p.37



Campagne

Choosing a floor begins with the selection of the wood's unique characteristics. Each plank undergoes a careful sorting process that considers the appearance of the oak, the size and consistency of the knots, and the uniformity of the grain. This selection process ensures a finish tailored to each project, from rustic to minimalist. Our wood is chosen for its strength, stability, and natural beauty, providing durable and harmonious flooring over time.

Each floor is custom-installed to fit the space perfectly and to highlight the unique character of your interior.







Château
I/BIS

The Château Selection is our most prestigious selection, with each plank chosen for purity, elegance, and sound knots under 8 mm. The careful sorting guarantees a refined, uniform, and timeless finish, showcasing the natural beauty of solid oak.

Laying Patterns	English Pattern French Pattern Hungarian Pattern Herringbone Ladder Pattern Brick Pattern	
Dimensions	Thicknesses	14 & 21 mm
	Widths	80 to 200 mm
	Lengths	400 to 2 500 mm
Features	Uniform appearance Sound knots < 8 mm Sapwood-free on the face	





Manoir
RUA

The Manoir Selection is a slightly rustic selection, with sound knots smaller than 25 mm, combining authenticity and character. This choice highlights the natural texture of the wood while maintaining elegant consistency. The result is a warm, timeless parquet that adds personality and charm to any interior.

Laying Patterns	English Pattern French Pattern Hungarian Pattern Herringbone Ladder Pattern Brick Pattern	
Dimensions	Thicknesses	14 & 21 mm
	Widths	80 to 200 mm
	Lengths	400 to 2 500 mm
Features	Uniform appearance Sound knots < 25 mm Sapwood-free on the face	





Orval
RUA/RUB

The Orval Selection merges the best of our Manoir and Rustic ranges. Offering diverse textures and styles, it ensures the noble quality of solid oak while combining character, elegance, and authenticity to enhance any interior.

Laying Patterns	English Pattern French Pattern Hungarian Pattern Herringbone Ladder Pattern Brick Pattern	
Dimensions	Thicknesses	14 & 21 mm
	Widths	80 to 200 mm
	Lengths	400 to 2 500 mm
Features	Rustic appearance Mix of RUA/RUB Sapwood-free on the face	





Rustique
RUB

The Rustique Selection features solid oak with sound knots ≤ 40 mm. It offers pronounced character and authentic texture, creating a warm and natural parquet that enhances inviting, characterful interiors.

Laying Patterns	English Pattern French Pattern Hungarian Pattern Herringbone Ladder Pattern Brick Pattern	
Dimensions	Thicknesses	14 & 21 mm
	Widths	80 to 200 mm
	Lengths	400 to 2 500 mm
Features	Rustic appearance Sound knots < 40 mm Sapwood-free on the face	





Campagne
RUC

The Campagne Selection celebrates the uniqueness of wood by embracing all its natural features: color variations, pronounced knots, or minor irregularities. This selection reflects the authenticity and natural character of solid oak, resulting in a lively and distinctive parquet. Perfect for creating warm interiors where each plank tells its own story.


Laying Patterns	English Pattern French Pattern Hungarian Pattern Herringbone Ladder Pattern Brick Pattern	
Dimensions	Thicknesses	14 & 21 mm
	Widths	80 to 200 mm
	Lengths	400 to 2 500 mm
Features	Very rustic appearance All natural variations accepted Sapwood allowed on the face	



03

Dimensions

Thickness



14 mm

Widths

80* | 100* | 120* | 140 | 160 | 180 mm

Lengths

400 to 2500 mm

Laying

Glue-down

**Suitable for underfloor heating, in accordance with applicable DTU regulations.*

Thickness



21 mm

Widths

80 | 100 | 120 | 140 | 160 | 180 | 200 mm

Lengths

400 to 2500 mm

Layings

Nail-down (traditional)

Glue-down


The choice of thickness depends on the substrate on which the flooring will be installed. The 14 mm planks are glue-down, in compliance with DTU 51.2, while the 21 mm planks are nail-down on joists, according to DTU 51.1.




04

Machinings

Straight Edge




Beveled on
Two Sides



Bevels available in 1.2 mm
or 2.5 mm

Beveled on
Four Sides



Bevels available in 1.2 mm
or 2.5 mm

Each floor is custom-installed to fit the space perfectly and highlight the unique character of your interior.







05

Finishes

Classique Collection

Finish available in oiled or varnished




SÉSAME (*Sesam*)



BLANC NEIGE (*Snow white*)



INVISIBLE (*Clear*)



NATUREL (*Natural*)



NOIX (*Walnut*)



PAIN D'ÉPICES (*Gingerbread*)



CANELLE (*Cinnamon*)



CHOCOLAT (*Chocolate*)

The Classique Collection features an elegant spectrum ranging from grey to deep brown, offering timeless tones that blend seamlessly into any interior. These shades highlight the wood's natural character, revealing its rich depth and delivering a refined and authentic appearance.

Vintage Collection

Aged oiled finish



NACRE (*Mother-of-pearl*)



NOISETTE (*Hazelnut*)




CHÂTAIGNE (*Chestnut*)


The Vintage Collection is created using both mechanical and hand-crafted techniques: brushing, hammering, distressed edges, and deliberate irregularities that accentuate the grain and texture. This finish mimics the natural wear and patina developed over time.



III

Claddings







Relief Cladding

The Relief Cladding creates subtle volume through slats of varying thickness. This variation produces a natural, sculpted effect on the wall. The relatively short and slightly mixed lengths enhance the depth, giving the surface a vibrant, textured appearance.

Wood Selections	Rustique Selection – All natural characteristics accepted	
Dimensions	Thicknesses	11 & 14 mm at 50%/50%
	Width	80 mm
	Lengths	350 to 1200 mm
Tongue and groove on all four sides to be glued onto a suitable substrate		






Slat Cladding

The Slat Cladding consists of thin vertical strips spaced evenly. The alternation between slats and gaps creates a subtle graphic rhythm, giving the wall a light yet structured presence.

Wood Selections	I/BIS Château RUA Manoir	
Dimensions	Thicknesses	14 & 21 mm
	Width	40 mm
	Lengths	1500 mm and more

Other custom requests are available upon inquiry.





Recessed Joint Cladding

The Recessed Joint cladding is made of interlocking slats, each featuring a regular open joint. This spacing adds depth and emphasizes the rhythm of the wall. The overall effect is structured and airy, making it ideal for introducing a subtle yet defined graphic line.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne		
Dimensions	Thickness	14 & 21 mm	
	14 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 mm
	21 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 200 mm

The cladding can be installed horizontally, vertically, or diagonally.





Claire-voie Cladding

The Claire-voie Cladding consists of horizontal or vertical boards separated by evenly spaced gaps over a dark background. This contrast highlights the pattern of the slats, creating a structured and striking wall. The regular arrangement provides a strong visual line while maintaining an elegant look.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne		
Dimensions	Thickness	14 & 21 mm	
	14 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 mm
	21 mm Thickness	Lengths	400 to 2500 mm
		Widths	80 100 120 140 160 180 200 mm
Tongue-and-tongue profile for hidden fastening.			

IV

Exclusive Products

O1

Narrow planks



Very narrow plank flooring provides a fine and regular rhythm. Its slender format structures the space, enhances perspective, and highlights the subtle character of oak. A graphic and elegant floor, ideal for contemporary, refined interiors.

Wood Selections	I/BIS Château RUA Manoir	
Dimensions	Thicknesses	14 & 21 mm
	Width	40 mm
	Lengths	400 to 1500 mm
	Other custom requests are available upon inquiry.	
Machining	G00 in standard	
Finishes		



02

Marine-Style Planking



The Marine-styled Planking features uniform oak boards with a hollow groove filled with black mastic, evoking the look of a classic boat deck. Traditionally, the planks were slightly spaced to provide enhanced flexibility.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne		
Dimensions	Thicknesses	14 & 21 mm	
	Widths	80 100 120 mm	
	Lengths	400 to 2500 mm	
	Other custom requests are available upon inquiry.		

Finishes





03

Twill Pattern



The Twill Pattern is a hybrid of the Hungarian Point and Herringbone styles. It is constructed as a graphic interlacing design. Its complex and stylized motif creates a play of volumes and textures, energizing the space while highlighting the natural richness of the wood. A floor that is both bold and refined.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Dimensions	Thicknesses	14 & 21 mm
	Lengths	400 500 600 mm
	Widths	80 100 120 140 160 180 mm
Angles	Standard 45° 50° 60°	
	Other custom requests are available upon inquiry.	

Finishes



Narrow angle



Wide angle

04

Versailles Pattern



The Versailles Pattern, an icon of French parquet, merges the grace of geometric motifs with the natural warmth of oak. Arranged in squares and lattices, the planks produce a refined perspective effect, structuring the space and highlighting every room. A timeless and distinguished flooring, perfect for introducing character and authenticity into your interiors.

Wood Selections	I/BIS Château RU Rustique	
Dimensions	Thickness	21 mm
		Nail-down Glue-down
	Length	980 x 980 mm
Other custom requests are available upon inquiry.		

Finishes





Accessories

01

Stair Nosing



Stair nosings provide a clean finish on steps or level changes, extending the continuity of the flooring with elegance and safety. Made from the same solid oak, they ensure perfect aesthetic consistency between floors and stairs.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Dimensions	Thicknesses	14 & 21 mm
	Width	On request
	Length	On request


02

Floor Joist



Joists provide support for the flooring. They are a structural element, whose density must match that of the installed parquet. They allow for precise leveling, proper wood ventilation, and excellent long-term stability. Together, these components complete the flooring system and contribute to the quality and durability of the installation.

Wood Selections	Structural timber – compression resistance	
Dimensions	Thickness	32 mm
	Width	70 mm
	Lengths	1000 to 2500 mm



03

Baseboards



Rounded Profile



Straight Profile



Chamfered Profile



Classic Profile

Baseboards, a key finishing detail, create a seamless transition between floor and wall while accommodating the parquet's natural expansion. They safeguard the lower walls and provide a continuous, elegant visual line. Crafted from matching solid oak, they guarantee harmonious color and texture, resulting in a refined and long-lasting finish.

Wood Selections	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne	
Dimensions	14 mm Thickness	Width : 40 60 70 80 90 100 on request
	21 mm Thickness	Width : 70 90 100 120 140 on request
	Length	1500 to 2500 mm

VI

Technical Data Sheet



Nouyrigat

Solid Oak Flooring Technical Data Sheet

Specifications

Solid Oak Flooring

Timber Type	Oak
Wood Grades	I/BIS Château RUA Manoir RUA/RUB Orval RUB Rustique RUC Campagne
Laying Patterns	English Pattern French Pattern Hungarian Pattern Herringbone Ladder Pattern Brick Pattern
Finishes	Raw to finish, oiled or varnished
Joinery	Tongue and Groove
Appearance	Raw, sanded, filled, brushed

Width	14 mm Thickness	80* 100* 120* 140 160 180 (Glue-down installation)
	21 mm Thickness	80 100 120 140 160 180 200 (Glue-down / Nail-down Installation)
Length	Variable	400 mm to 2500 mm

Installation according to DTU 51.1 for nail-down parquet, or DTU 51.2 for glue-down.

**Compatible with underfloor heating.*

Density and Weight

Approximately 700 kg/m³, or 10 kg/m² for 14 mm thickness and 16 kg/m² for 21 mm thickness.

Moisture Content

9% ± 2%.

Hardness

Impact Resistance (Nm/cm²): 6.2 | Brinell Hardness parallel to the grain (N/mm²): 57
Brinell Hardness perpendicular to the grain (N/mm²): 32 | Monnin Hardness: 3.5

Shrinkage Coefficient

For a 1% change in moisture content: Axial: ± 0.025% | Radial: ± 0.20% | Tangential: ± 0.31%

Fire Performance

Reaction to Fire: M3 (moderately flammable)

Wood Origin

Local – France/Belgium

Manufacturing

100% French

Eco-Certification

100% PEFC Certified Products

Packaging

Our floors come in variable lengths, from 400 mm to 2,500 mm, packed in bundles of 5 planks, labeled and wrapped in plastic film, or strapped upon request.

Moisture and Ambient Air

Oak should be stored in the room where it will be installed for 2 to 4 weeks. The room must not exceed 60% humidity, and the subfloor should also have its moisture content measured. Any parquet installed under these conditions is considered acceptable.

Substrate Compatibility

Concrete or Anhydrite Slab	Yes
OSB, Wooden Substrates	Yes
Oak Joists	Yes (21 mm)
Hydronic Underfloor Heating	Available only in 14 mm thickness and a maximum width of 120 mm
Reversible Flooring	No



Contact

Our team is at your service to guide and support you throughout all your projects.



ADRESS

39 route d'Orval, 08370 Margut, France

JOIN US

+33 3 24 22 62 41


contact@nouyrigat.com

OPENING HOURS

Monday to Friday: 8:00 AM – 12:00 PM / 1:00 PM – 5:00 PM

Closes at 4:00 PM on Fridays







Nouyrigat

39 route d'Orval, 08370 Margut, France